





PRODUCT NAME

JBL EON ONE MK2

DESCRIPTION

The JBL EON One MK2 is a compact PA speaker with an integrated 5-channel digital mixer and a Lexicon DSP with chorus, reverb, or delay effects.

The EON One MK2 features an array of eight two-inch tweeters and one 10-inch woofer, all of which provide excellent coverage at 140° horizontally and 30° vertically. The built-in amplifier reaches 1,500W of peak power and 400W of RMS power to guarantee distortion-free sound.

The JBL EON One MK2 all-in-one system features three Neutrik XLR Combo jacks (including the first two ports with 48V phantom power), symmetrical pass thru output with independent volume control on a 6.3mm jack, summed input on a 3.5mm jack and analog input on a 6.3mm jack. The rear panel also features two USB-A 2.0 ports for charging devices from the built-in battery or AC adapter, a power jack, an EasyNav LCD screen and a mixer. In addition, the unit's parameters can be controlled from the position of the JBL Pro Connect mobile app. The EON One MK2 allows audio streaming to a single device via Bluetooth 5.0.

The PA speaker's built-in battery provides about 6 hours of continuous operation, which, together with the compact size of the device, allows it to be transported anywhere.

PRODUCT NAME

JBL EON ONE MK2

DESCRIPTION (CONTINUED)

Rent the JBL EON One MK2 all-in-one system at SQM Rental House!

SPECIFICATIONS

Battery	Li-Ion 97.2WH battery
Speaker category	All-in-One
Speaker type	Active
Channels	5
Max. SPL (dB; @1m)	119 (Battery)
Max. SPL (dB; @1m)	123 (A/C)
Frequency range (Hz)	37 ~ 20000 (-10dB)
Frequency range (Hz)	45 ~ 20000 (-3dB)
LF transducer	1 x 10"
HF transducer	8 x 2"
Nominal coverage (h/v; °)	140/30
Continuous power (W)	400
Peak power (W)	1500
Width (mm)	452
Height (mm)	730
Net weight (kg)	19.3
Depth (mm)	627
Connectors	2 x USB-A 2.0
Connectors	1 x 6.3mm jack (Input)

SPECIFICATIONS

Connectors	3 x XLR (6.3mm jack combo input)
Connectors	1 x 6.3mm jack (Balanced output, Pass Thru)
Connectors	1 x 3.5mm jack (Input)