


LD SYSTEMS MAILA M / Line Array PA System 10 kW



TECHNICAL DETAILS

Category	PA system
Speaker category	Passive (MAILA SAT)
Max. SPL (dB; @1m)	128.2 (MAILA SAT)
Max. SPL (dB; @1m)	127.4 (MAILA SUB)
Max. SPL (dB; @1m)	125.4 (MAILA COL)
Frequency response (Hz)	105 ~ 500 (-6dB) (MAILA COL)
Frequency response (Hz)	34 ~ 20000 (-6dB)
Frequency response (Hz)	100 ~ 20000 (-6dB) (MAILA SAT)
LF transducer	1 x 6.5" (MAILA SAT)
LF transducer	2 x 15" (MAILA SUB)
LF transducer	4 x 6.5" (MAILA COL)
HF transducer	5 x 1" (MAILA SAT)
Nominal coverage (h/v; °)	100/8 (MAILA SAT)
Nominal coverage (h/v; °)	100/-
Amplifier type	Class D (MAILA SUB)
Amplifier type	Class D (MAILA COL)
Continuous power (W)	2500 (MAILA COL)
Continuous power (W)	10000
Continuous power (W)	2500 (MAILA SUB)
Max. power consumption (W)	800 (MAILA COL)
Max. power consumption (W)	1300 (MAILA SUB)
Width (mm)	205 (MAILA SAT)
Width (mm)	540 (MAILA SUB)

Width (mm)	205 (MAILA COL)
Height (mm)	234 (MAILA SAT)
Height (mm)	934 (MAILA SUB)
Height (mm)	1028 (MAILA COL)
Height (mm)	2920
Depth (mm)	226 (MAILA SAT)
Depth (mm)	803 (MAILA SUB)
Depth (mm)	354 (MAILA COL)
Net weight (kg)	7.65 (MAILA SAT)
Net weight (kg)	89.8 (MAILA SUB)
Net weight (kg)	36.2 (MAILA COL)
Net weight (kg)	293.2
Set contains	2 x MAILA SUB
Set contains	2 x MAILA SUB PC
Set contains	2 x MAILA COL
Set contains	8 x MAILA SAT
Set contains	2 x MAILA SUB CB
Set contains	4 x Power cable
Set contains	2 x MAILA FC2

PRODUCT DESCRIPTION

LD Systems MAILA M is a comprehensive stereo system that sets new standards in sound reinforcement with its flexibility. In the M version, the system offers 10 kW of output power, combining a variety of acoustic technologies into a unique solution: a bandpass subwoofer with cardioid function, a loudspeaker with built-in DSP amplifier and satellites with line array function.

The centerpiece of the MAILA M is a 2x15" 2.5 kW subwoofer with a state-of-the-art SysCore DSP that delivers deep and dynamic bass. On top of the subwoofer is the MAILA COL column module, which features four 6.5" woofers for extended bass and midrange. The module also includes a 4-channel DSP amplifier (2.5 kW) with SysCore DSP, which wirelessly powers the MAILA SAT satellites via SmartLink+ buses.

The MAILA SAT satellites, mounted on a COL column, feature a sleek aluminum unibody design. Advanced WaveAhead technology allows each satellite to utilize five 1-inch tweeters, positioned in front of a 6.5-inch midrange driver, and SonicGuide allows for seamless sound blending. Despite their compact size, the satellites deliver a bass thump of up to 100 Hz, resulting in a linear sound dispersion pattern with a range of up to 3 meters.

Each MAILA SAT satellite features an innovative swivel mount with EasySplay mechanism, allowing quick adjustment of the tilt angle from 0° to 8°, even with one hand, giving you the flexibility to tailor the sound coverage to the needs of a specific event.

The MAILA M is a versatile sound system that can be scaled to a variety of configurations. The MAILA COL module is capable of supporting up to eight

MAILA SAT satellites and allows for a variety of configurations, both ground-based and overhead. The system is suitable for small festival stages and clubs, as well as for conferences and lectures.

The MAILA system can be quickly configured and updated via the MAILA app (iPadOS) or directly on the device. Thanks to the LogoLink® wireless connection, range of up to 30 meters is not a problem. The app automatically detects system components, making configuration easy.

LD Systems with MAILA introduces a new sound reinforcement concept, offering diversity in one system.

The set includes: 8 MAILA SAT satellites, 2 MAILA COL speakers, 2 MAILA SUB subwoofers, 2 MAILA FC2, 2 MAILA SUB CB, 2 MAILA SUB PC and 4 power cables. Rent the set at SQM Rental House!

Product link:

<https://rentalhouse.sqm.eu/gb/linear-systems/2039-ld-systems-maila-m-line-array-pa-system-10-kw.html>