

PRODUCT NAME

SENNHEISER XS WIRELESS SET XSW 1-835-E

DESCRIPTION

The Sennheiser XS Wireless Vocal Set XSW 1-835-E with a frequency range of 821-832/863-865 MHz is a reliable wireless system that is designed for artists, presenters and users looking for professional sound quality in an easy-to-use unit. It includes the SKM-XSW high-performance dynamic microphone with cardioid directional characteristic, which is ideal for a variety of vocal applications, providing clarity and precision in voice reproduction. The microphone eliminates unwanted ambient sounds, making it ideal for stage and conference applications.

The system operates in the 821-832 and 863-865 MHz frequency bands, providing a stable connection without interference in most European locations. Automatic frequency management and the ability to choose from 10 predefined channels guarantee quick and hassle-free setup.

The compact EM-XSW 1 receiver features an intuitive user interface and backlit LED display for easy setup and monitoring of operating parameters. XLR and 6.3mm jack outputs allow flexible connection to a variety of sound systems. The SKM 835-XSW transmitter, powered by two AA batteries, provides up to 10 hours of continuous operation for stress-free use even during long events.

The Sennheiser XS Wireless Vocal Set features a rugged design that can withstand heavy stage use. The sleek design combined with advanced technology makes the set not only sound great, but also look

PRODUCT NAME

SENNHEISER XS WIRELESS SET XSW 1-835-E

DESCRIPTION (CONTINUED)

great. It is an ideal choice for those who want professional sound quality and reliability at an affordable price. With easy setup and high performance, the XS Wireless Vocal Set allows users to focus on their performance without worrying about technical issues.

Rent the set at SQM Rental House!

SPECIFICATIONS

Device type	Receiver
Device type	Microphone
Operating frequency (MHz)	821 ~ 832
Operating frequency (MHz)	863 ~ 865
Frequency response (Hz)	50 ~ 16000
THD (%)	⩽0.9 (AF)
Sensitivity	1.5mV/Pa
Signal-to-noise ratio	⩾103dB
Microphone type	Dynamic
Polar pattern	Cardioid
Diameter (mm)	50 (Microphone)
Width (mm)	200 (Receiver)
Set contains	1 x EM-XSW 1 receiver
Set contains	2 x AA battery
Set contains	1 x SKM-XSW microphone
Set contains	Power supply
Height (mm)	42 (Receiver)
Depth (mm)	127 (Receiver)
Connectors	1 x XLR (3-pin, Balanced output)

SPECIFICATIONS

Connectors	1 x 6.3mm jack (Output)
Net weight (kg)	0.245 (Microphone)