





PRODUCT NAME

NEC X554UNV

DESCRIPTION

The 55-inch NEC X554UNV monitor is designed to create professional video walls with native Full HD 1920x1080 resolution, with an extension of up to 4096x2160 UHD (with support on the HDMI connector). The width of the monitor bezel at 3.5mm makes it almost invisible when configuring larger multimedia walls. This gives the effect of a uniform image with fantastic quality and 4K resolution.

The X554UNV has a built-in NFC sensor, which makes installation and maintenance of the video wall quick and easy - changing parameters is possible through the application for mobile devices. Through the Auto Tile Matrix function, the wall configuration is automatic - the settings of one monitor are applied to the entire wall. The monitor also supports UHD cascading through multi-stream DisplayPort 1.2 - you can create a fascinating video wall from one 4K image or from four Full HD sources. The screen, in addition to the DP port, also has one HDMI and DVI-D input and one OPS slot. The distance between the two adjacent screens is 3.7 mm.

An important aspect is also the temperature control inside the device with adjustable fans. It ensures reliability and long service life of large multimedia walls.

NEC X554UNV is a reliable monitor with fantastic image quality - ideally suited as a digital signage screen in commerce.

SPECIFICATIONS

Panel	S-PVA
Diagonal (in)	55
Standard	Full HD
Resolution (px×px)	1920x1080
Width of viewable area (mm)	1210
Upper / lower bezel size (mm)	2.3 / 1.2
Height of viewable area (mm)	680.8
Screen aspect ratio	16:9
Left / right bezel size (mm)	2.3 / 1.2
Viewing angles (h/v; °)	178/178
Max. brightness (cd/m²)	500
Width without stand (mm)	1213.5
Height without stand (mm)	684.3
Depth without stand (mm)	100
Max. power consumption (W)	170
Set contains	Power cord
Set contains	Remote control
Connectors	1 x USB-A
Connectors	1 x DVI-D (Input, 24+1-pin D-Sub)

SPECIFICATIONS

Connectors	Spring clip output terminal (Speakers)
Connectors	2 x Audio (Input, 3.5mm jack)
Connectors	1 x HDMI (Input)
Connectors	1 x Remote (3.5mm jack)
Connectors	1 x RS-232C (9-pin D-Sub)
Connectors	2 x Ethernet (RJ45)
Connectors	1 x Audio (Output, 3.5mm jack)
Connectors	2 x DisplayPort (Input/output)
Connectors	OPS slot
Connectors	1 x VGA (Input, 15-pin D-Sub)
Net weight (kg)	25.9