





PRODUCT NAME

SAMSUNG DM32E

DESCRIPTION

Samsung DM32E is a professional industrial monitor from DME Series with a diagonal of 32 inches and Full HD resolution.

The Picture Quality Enhancer is a function that optimizes vivid colors, contrast, and color temperature for the environment. The amazing brightness of 450 cd/m² and great, full of details quality image in 1920x1080 resolution is a guarantee of distinguishing the selected promotional offer for potential customers.

Thanks to the MagicInfo S3 mobile application, it is possible to easily and quickly distribute content via a Wi-Fi network, while the Samsung Smart Signage Platform and a built-in multimedia player allow access to a content-rich library.

Available in SQM Rental House, DM32E is equipped with a wide range of connectors - from the HDMI input, through the SD card slot, to the USB and RJ45 port. The spacing of mounting holes in the VESA standard is 200x200mm.

The DM32E display defines high performance and a number of intuitive functions that will meet every business need with a simultaneous reduction of operating costs. The monitor is ideally suited to work 24

PRODUCT NAME

SAMSUNG DM32E

DESCRIPTION (CONTINUED)

hours and 7 days a week on the premises of any company, shopping mall or store.

SPECIFICATIONS

Panel	D-LED BLU
Diagonal (in)	32
Standard	Full HD
Resolution (px×px)	1920x1080
Width of viewable area (mm)	698.4
Upper / lower bezel size (mm)	11.5 / 15.95
Height of viewable area (mm)	392.9
Screen aspect ratio	16:9
Left / right bezel size (mm)	11.5 / 11.5
Viewing angles (h/v; °)	178/178
Max. brightness (cd/m²)	400
Width without stand (mm)	721.4
Height without stand (mm)	420.3
Depth without stand (mm)	49.9
Max. power consumption (W)	77
Set contains	Remote control
Set contains	Power cord
Connectors	1 x USB-A
Connectors	1 x Antenna

SPECIFICATIONS

Connectors	1 x Ethernet (RJ45)
Connectors	1 x 3.5mm jack (Component)
Connectors	2 x Audio (Input/output, 3.5mm jack)
Connectors	1 x HDMI (Input)
Connectors	SD card slot
Connectors	1 x IR (3.5mm jack)
Connectors	1 x RGB (Input, 15-pin D-Sub)
Connectors	2 x RS232C (Input/output, 3.5mm jack)
Connectors	1 x Ambient sensor (Input, 3.5mm jack)
Connectors	1 x DVI (Input, 24+1-pin D-Sub)
Net weight (kg)	4.9