





PRODUCT NAME

# NEC X651UHD-2 SST

DESCRIPTION

The 65-inch NEC X651UHD-2 SST is a large-format touch screen that supports 4K UHD 3840x2160 resolution. The monitor uses the innovative ShadowSense multiple touch technology that allows you to handle six touch points simultaneously. It is based on optical position detection with the use of perfectly calibrated sensors. This makes the X651UHD-2 SST an incredibly accurate, efficient and stable device.

Amazing 4K detail resolution and vibrant colors are guaranteed by the NEC SpectraView engine. Thanks to specially tailored and efficient filtering, it is possible to ensure error-free and interference-free operation of the monitor in high-intensity lighting.

The X651UHD-2 SST is a plug&play monitor, so connecting an additional slot-in device with the ultra-high resolution is possible without installing additional drivers. The TV has 4 HDMI inputs, 2 DVI-D inputs, and one DisplayPort. The monitor is perfect for interactive applications that require long working hours and intensive use.

It is worth mentioning that the weight of the monitor (70kg) requires a reinforced wall and additional help with its assembly. The spacing of M8 mounting holes in the VESA standard is 400x400mm.

SQM Rental House encourages you to rent the X651UHD-2 SST large format monitor!

## SPECIFICATIONS

| | |
|---|---|
| **Panel** | S-IPS |
| **Diagonal (in)** | 65 |
| **Standard** | UHD 4K |
| **Resolution (px×px)** | 3840x2160 |
| **Width of viewable area (mm)** | 1429.8 |
| **Touch points** | 6 |
| **Upper / lower bezel size (mm)** | 52.5 / 52.5 |
| **Height of viewable area (mm)** | 805 |
| **Left / right bezel size (mm)** | 51.1 / 51.1 |
| **Viewing angles (h/v; °)** | 178/178 |
| **Max. brightness (cd/m²)** | 450 |
| **Width without stand (mm)** | 1532 |
| **Height without stand (mm)** | 910 |
| **Depth without stand (mm)** | 103 |
| **Max. power consumption (W)** | 212 |
| **Set contains** | Remote control |
| **Set contains** | Power cord |
| **Set contains** | Vogel's PFW 4700 wall mount |
| **Connectors** | 1 x USB-B |

## SPECIFICATIONS

| | |
|---|---|
| **Connectors** | 2 x Ethernet (RJ45) |
| **Connectors** | 1 x Remote (3.5mm jack) |
| **Connectors** | 2 x USB-A |
| **Connectors** | 1 x RS-232C (9-pin D-Sub) |
| **Connectors** | 4 x HDMI (Input) |
| **Connectors** | 2 x 3.5mm jack (Line input/output) |
| **Connectors** | Spring clip output terminal (Speakers) |
| **Connectors** | 2 x DVI-D (Input/output, 24+1-pin D-Sub) |
| **Connectors** | 1 x DisplayPort (Input) |
| **Net weight (kg)** | 70 |