





PRODUCT NAME

CHRISTIE BOXER 4K30

DESCRIPTION

Christie® Boxer 4K30 is a professional laser projector that impresses with its pure 4K resolution, 29000 ANSI lumens brightness and solid housing.

The projector uses 3DLP® technology, which ensures reliable and consistent brightness throughout the life of the projector. The device also offers fantastic Christie TruLife technology that processes the signal. 4K30 is also known for its long lamp life - six, 450W NSH mercury lamps provide flawless image quality for 1500 hours up to 70% of initial brightness.

The weight of 72.6 kg means that 4K30 needs only two people for transport and assembly. The projector is equipped with many intelligent monitoring functions, and also guarantees excellent connectivity through 1 HDBaseT port, two 12G-SDI inputs and one HDMI 2.0, DisplayPort 1.2 and Christie Link Fiber.

It is worth mentioning that the specification shows the dimensions of the projector without the frame. The set includes dedicated Publitec Pegasus 5.0 rigging frame for 4K30 that is 543mm high, 1080mm deep, 780mm wide and weighs 36kg.

Christie® Boxer 4K30 that is fully recommended by the SQM Rental House is definitely the best choice when organizing the largest multimedia events that require professionalism and reliability from all

PRODUCT NAME

CHRISTIE BOXER 4K30

DESCRIPTION (CONTINUED)

angles.

SPECIFICATIONS

Technology	3DLP® 1.38" DMD
Resolution (px×px)	4096x2160
Light source	6 x 450W NSH
Light source lifetime (hrs)	1500
Brightness (ANSI lumens)	29000
Contrast ratio	2000:1
Noise level (dB)	49
Max. power consumption (W)	3800
Width (mm)	597
Set contains	Publitec Pegasus 5.0 rigging frame
Set contains	Power cord
Height (mm)	305
Depth (mm)	959
Connectors	2 x USB-A
Connectors	1 x Christie Link
Connectors	1 x DisplayPort (Input)
Connectors	1 x HDBaseT (Cat6e)
Connectors	2 x BNC (Input/output, 3D Sync)
Connectors	1 x Ethernet (RJ45)

SPECIFICATIONS

Connectors	2 x BNC (Input, HD/3G/6G/12G SDI)
Connectors	1 x HDMI (Input)
Connectors	1 x XLR (3-pin, Keypad)
Connectors	1 x USB-B
Connectors	1 x GPIO (9-pin D-Sub)
Connectors	1 x RS232 (9-pin D-Sub)
Connectors	1 x BNC (Audio output, HDBaseT)
Net weight (kg)	72.6