





PRODUCT NAME

# NEC C861Q 4K

DESCRIPTION

The 86-inch NEC C861Q is a monitor that through the excellent UHD 4K resolution allows you to get the highest image quality and the pure perfection of details. In addition, product reliability and stability are guaranteed at a low total cost.

The NEC C861Q TV guarantees excellent visibility at 350 cd/m² without persistent reflections - NEC MultiSync monitors perfectly meet the needs of modern conference spaces. The solid and elegant design means that the monitor fits perfectly into any application, in any environment. In addition, the TV has numerous inputs with native UHD resolution and a refresh rate of 60 Hz, including DisplayPort, HDMI and an option slot for OPS (slot-in) computers.

Besides of that, the C861Q offers automatic conversion of lower resolution signals to UHD resolution and guarantees a flawless, almost pixel-free image. The device offers the additional functionality of TileMatrix (10x10).

Recommended by SQM Rental House, NEC C861Q has mounting holes (M8) in the VESA standard with a spacing of 400x400mm.

## SPECIFICATIONS

| | |
|---|---|
| **Panel** | S-IPS |
| **Diagonal (in)** | 86 |
| **Standard** | UHD 4K |
| **Resolution (px×px)** | 3840x2160 |
| **Width of viewable area (mm)** | 1895.04 |
| **Upper / lower bezel size (mm)** | 16.62 / 16.62 |
| **Height of viewable area (mm)** | 1065.96 |
| **Screen aspect ratio** | 16:9 |
| **Left / right bezel size (mm)** | 16.58 / 16.58 |
| **Viewing angles (h/v; °)** | 178/178 |
| **Max. brightness (cd/m²)** | 350 |
| **Width without stand (mm)** | 1928.2 |
| **Height without stand (mm)** | 1099.2 |
| **Depth without stand (mm)** | 74 |
| **Max. power consumption (W)** | 230 |
| **Set contains** | Remote control |
| **Set contains** | Power cord |
| **Set contains** | Vogel's PFW 4700 wall mount |
| **Connectors** | OPS slot |

## SPECIFICATIONS

| | |
|---|---|
| **Connectors** | 2 x DisplayPort (Input) |
| **Connectors** | Spring clip output terminal (Speakers) |
| **Connectors** | 2 x 3.5mm jack (Audio input/output) |
| **Connectors** | 1 x USB-B |
| **Connectors** | MicroSD card slot |
| **Connectors** | 2 x Ethernet (RJ45) |
| **Connectors** | 1 x Remote (3.5mm jack) |
| **Connectors** | 1 x DisplayPort (Output) |
| **Connectors** | 1 x RS-232C (9-pin D-Sub) |
| **Connectors** | 4 x USB-A |
| **Connectors** | 3 x HDMI (Input) |
| **Net weight (kg)** | 57.8 |