





PRODUCT NAME

IIYAMA TF4338MSC-B1AG

DESCRIPTION

The 43-inch Iiyama TF4338MSC-B1AG is an open-frame touch screen monitor with 1920x1080 Full HD resolution. TF4338MSC-B1AG has an anti-glare coating with 12 points of touch and uses an IPS matrix - all this makes the Iiyama an interactive monitor that offers a picture full of details, in excellent Full HD quality, high contrast and large viewing angles.

The device uses capacitive touch technology - when a finger is placed on the glass, the device detects touch because of the electrical characteristics of the sensor grid change. The coating is very durable and resistant to all scratches.

TF4338MSC-B1AG has three types of digital signal inputs - one DisplayPort, DVI and 2 HDMI 1.4. The monitor is equipped with two built-in 8W speakers and works great in both horizontal and vertical orientation. Mounting holes with 400x200mm spacing in the VESA standard means that the 21.6-kg screen can be mounted on the wall.

The 43-inch open-frame Iiyama monitor is a great solution for kiosk integrators. The equipment recommended by SQM Rental House is adapted to work 24/7.

SPECIFICATIONS

Panel	IPS
Diagonal (in)	43
Standard	Full HD
Resolution (px×px)	1920x1080
Width of viewable area (mm)	941.18
Touch points	12
Upper / lower bezel size (mm)	29.05 / 29.05
Height of viewable area (mm)	529.41
Screen aspect ratio	16:9
Left / right bezel size (mm)	23.16 / 23.16
Viewing angles (h/v; °)	178/178
Max. brightness (cd/m²)	380
Width without stand (mm)	987.5
Height without stand (mm)	587.7
Depth without stand (mm)	68
Max. power consumption (W)	75
Set contains	Power cord
Set contains	Vogel's PFW 4500 wall mount
Set contains	Remote control

SPECIFICATIONS

Connectors	1 x DVI-D (Input, 24+1-pin D-Sub)
Connectors	1 x IR (3.5mm jack)
Connectors	1 x DisplayPort (Input)
Connectors	1 x VGA (Input, 15-pin D-Sub)
Connectors	2 x 3.5mm jack (Line input/output)
Connectors	1 x RS232 (9-pin D-Sub)
Connectors	1 x Ethernet (RJ45)
Connectors	2 x HDMI (Input)
Connectors	1 x USB-B
Net weight (kg)	21.6